

# EAST SEARCH 03/07/2007 TLM *Miss. Mansley*

|   | Type | Hits | Search Text                                     | DBs   |
|---|------|------|---|---|
| 1 | BRS  | 334  | 712/219.ccls.                                   | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B          |
| 2 | BRS  | 21   | speculat\$4 near2<br>instruction near2 retir\$3 | USPAT   |
| 3 | BRS  | 42   | speculat\$4 near2<br>instruction near2 retir\$3 | USPAT   |
| 4 | BRS  | 0    | speculative near2<br>scoreboard near2 retire    | USPAT   |
| 5 | BRS  | 0    | speculative near2<br>scoreboard near2 retir\$3  | USPAT   |
| 6 | BRS  | 93   | speculative near2 retir\$3                      | USPAT   |
| 7 | BRS  | 0    | speculative near2<br>scoreboard near2 retir\$3  | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 8 | BRS  | 50   | speculat\$4 near2<br>instruction near2 retir\$3 | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO;<br>JPO;<br>DERWEN<br>T                 |

|    | Type | Hits | Search Text                                     | DBs   |
|----|------|------|---|---|
| 9  | BRS  | 26   | speculat\$4 near2<br>instruction near2 retir\$3 | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 10 | BRS  | 111  | speculative near2 retir\$3                      | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 11 | BRS  | 0    | speculative near2 reagister<br>near2 read\$3    | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |

|    | Type | Hits | Search Text                                 | DBs   |
|----|------|------|---|---|
| 12 | BRS  | 22   | speculative near2 register<br>near2 read\$3 | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 13 | BRS  | 577  | speculative near2 load                      | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 14 | BRS  | 440  | speculative adj load                        | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |

|    | Type | Hits | Search Text   | DBs   |
|----|------|------|---|---|
| 15 | BRS  | 419  | (speculative adj load) and instructions               | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 16 | BRS  | 419  | (speculative adj load) and instruction                | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 17 | BRS  | 121  | ((speculative adj load) and instruction) and retir\$3 | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 18 | BRS  | 457  | 712/216.ccls.   | USPAT   |
| 19 | BRS  | 458  | 712/217.ccls.   | USPAT   |
| 20 | BRS  | 419  | 712/218.ccls.   | USPAT   |
| 21 | BRS  | 289  | 712/219.ccls.   | USPAT   |
| 22 | BRS  | 135  | 712/224.ccls.   | USPAT   |
| 23 | BRS  | 464  | 712/225.ccls.   | USPAT   |
| 24 | BRS  | 292  | 712/226.ccls.   | USPAT   |

|    | Type | Hits | Search Text   | DBs  |
|----|------|------|---|--|
| 25 | BRS  | 5    | speculat\$5 near2 scoreboard  | USPAT  |
| 26 | BRS  | 14   | speculat\$5 near2 scoreboard  | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 27 | BRS  | 14   | speculat\$5 near2 scoreboard  | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 28 | BRS  | 3723 | (indicat\$3 or mark\$3 or<br>flag\$4 or dat\$3 or<br>record\$3) with (memory<br>near2 search) | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |

|    | Type | Hits | Search Text  | DBs  |
|----|------|------|--|--|
| 29 | BRS  | 5657 | (indicat\$3 or mark\$3 or<br>flag\$4 or dat\$3 or<br>record\$3) with (memory<br>near2 search\$3) | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 30 | BRS  | 1432 | (indicat\$3 or mark\$3 or<br>flag\$4 or dat\$3 or<br>record\$3) with (memory<br>near2 searched)  | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 31 | BRS  | 433  | (indicat\$3 or mark\$3 or<br>flag\$4 or record\$3) with<br>(memory near2 searched)               | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |

|    | Type | Hits | Search Text   | DBs  |
|----|------|------|---|--|
| 32 | BRS  | 401  | (early or advanc\$3 or<br>specul\$6) near2 retir\$3   | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 33 | BRS  | 0    | (cancel near2 instruction)<br>with scoreboard\$3  | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 34 | BRS  | 14   | ((cancel\$3 or delet\$3 or<br>discard\$3 or flush\$3) near2<br>instruction) with<br>scoreboard\$3 | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |

|    | Type | Hits | Search Text               | DBs  |
|----|------|------|---------------------------|--|
| 35 | BRS  | 31   | ronny.in. and arnold.in.  | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 36 | BRS  | 86   | donald.in. and soltis.in. | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 37 | BRS  | 17   | L38 and L39               | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |



|    | Type | Hits | Search Text  | DBs  |
|----|------|------|--|--|
| 38 | BRS  | 269  | speculat\$3 near2 register<br>near2 updat\$3   | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 39 | BRS  | 296  | speculat\$3 near2 register<br>near2 (updat\$3 or mark\$3 or<br>indicat\$3 or tag\$3) | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 40 | BRS  | 1    | "6715060".pn.  | USPAT  |
| 41 | BRS  | 1    | "5838943".pn.  | USPAT  |
| 42 | BRS  | 1    | "6715060".pn.  | USPAT  |
| 43 | BRS  | 1    | "4903196".pn.  | USPAT  |
| 44 | BRS  | 1    | "5838943".pn.  | USPAT  |
| 45 | BRS  | 1    | "6219781".pn.  | USPAT  |
| 46 | BRS  | 26   | speculat\$5 near2<br>scoreboard\$3   | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |

|    | Type | Hits | Search Text                  | DBs  |
|----|------|------|------------------------------|--|
| 47 | BRS  | 50   | huisman.xa.                  | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 48 | BRS  | 75   | meonske.xa.                  | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 49 | BRS  | 1651 | instruction near2 retire\$4  | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 50 | BRS  | 457  | 712/216.ccls.                | USPAT  |
| 51 | BRS  | 458  | 712/217.ccls.                | USPAT  |
| 52 | BRS  | 419  | 712/218.ccls.                | USPAT  |
| 53 | BRS  | 289  | 712/219.ccls.                | USPAT  |
| 54 | BRS  | 135  | 712/224.ccls.                | USPAT  |
| 55 | BRS  | 464  | 712/225.ccls.                | USPAT  |
| 56 | BRS  | 292  | 712/226.ccls.                | USPAT  |
| 57 | BRS  | 5    | speculat\$5 near2 scoreboard | USPAT  |

|    | Type | Hits | Search Text   | DBs  |
|----|------|------|---|--|
| 58 | BRS  | 14   | speculat\$5 near2 scoreboard  | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 59 | BRS  | 14   | speculat\$5 near2 scoreboard  | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 60 | BRS  | 3723 | (indicat\$3 or mark\$3 or<br>flag\$4 or dat\$3 or<br>record\$3) with (memory<br>near2 search) | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |

|    | Type | Hits | Search Text  | DBs  |
|----|------|------|--|--|
| 61 | BRS  | 5657 | (indicat\$3 or mark\$3 or<br>flag\$4 or dat\$3 or<br>record\$3) with (memory<br>near2 search\$3) | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 62 | BRS  | 1432 | (indicat\$3 or mark\$3 or<br>flag\$4 or dat\$3 or<br>record\$3) with (memory<br>near2 searched)  | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 63 | BRS  | 433  | (indicat\$3 or mark\$3 or<br>flag\$4 or record\$3) with<br>(memory near2 searched)               | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |

|    | Type | Hits | Search Text   | DBs  |
|----|------|------|---|--|
| 64 | BRS  | 401  | (early or advanc\$3 or<br>specul\$6) near2 retir\$3   | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 65 | BRS  | 0    | (cancel near2 instruction)<br>with scoreboard\$3  | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 66 | BRS  | 14   | ((cancel\$3 or delet\$3 or<br>discard\$3 or flush\$3) near2<br>instruction) with<br>scoreboard\$3 | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |

|    | Type | Hits | Search Text               | DBs  |
|----|------|------|---------------------------|--|
| 67 | BRS  | 31   | ronny.in. and arnold.in.  | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 68 | BRS  | 86   | donald.in. and soltis.in. | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 69 | BRS  | 17   | L38 and L39               | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |

|    | Type | Hits | Search Text  | DBs  |
|----|------|------|--|--|
| 70 | BRS  | 269  | speculat\$3 near2 register<br>near2 updat\$3   | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 71 | BRS  | 296  | speculat\$3 near2 register<br>near2 (updat\$3 or mark\$3 or<br>indicat\$3 or tag\$3) | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 72 | BRS  | 1    | "6715060".pn.  | USPAT  |
| 73 | BRS  | 1    | "5838943".pn.  | USPAT  |
| 74 | BRS  | 1    | "6715060".pn.  | USPAT  |
| 75 | BRS  | 1    | "4903196".pn.  | USPAT  |
| 76 | BRS  | 1    | "5838943".pn.  | USPAT  |
| 77 | BRS  | 1    | "6219781".pn.  | USPAT  |
| 78 | BRS  | 26   | speculat\$5 near2<br>scoreboard\$3   | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |

|    | Type | Hits | Search Text                 | DBs  |
|----|------|------|-----------------------------|--|
| 79 | BRS  | 50   | huisman.xa.                 | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 80 | BRS  | 75   | meonske.xa.                 | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |
| 81 | BRS  | 1651 | instruction near2 retire\$4 | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B |





Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Edit an existing query or  
compose a new query in the  
Search Query Display.

Wed, 7 Mar 2007, 3:48:40 PM EST

## Search Query Display

Select a search number (#)  
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

## Recent Search Queries

- #1    ( ( speculative<in>metadata ) <and>  
         ( scoreboard<in>metadata ) )
- #2    ( ( speculative<in>metadata ) <and>  
         ( scoreboard<in>metadata ) )
- #3    ( ( speculative<in>metadata ) <and> ( retire<in>metadata ) )
- #4    ( scoreboard<in>metadata )

Indexed by  
 Inspec®

[Help](#) · [Contact Us](#) · [Privacy &](#)

© Copyright 2006 IEEE –